

# UNIVERSAL LED LIGHT KITS



**K9110L** LED

Etched White Glass  
26W LED  
12 1/4"Dia. x 3 3/4"H  
Includes Brushed Nickel & Oil  
Rubbed Bronze & White Caps  
Dimmable Pull Chain



**K9120L** LED

Etched White Glass  
26W LED  
12 1/4"Dia. x 3 3/4"H  
Includes Brushed Nickel & Oil  
Rubbed Bronze & White Caps  
Dimmable Pull Chain



**K9115L** LED

Etched White Glass  
26W LED 1647 Lumens  
12 1/4"Dia. x 2 1/2"H  
Includes Brushed Nickel & Oil  
Rubbed Bronze & White Caps  
Dimmable Pull Chain

# UNIVERSAL LIGHT KITS



**K9500**

Two Light  
Belcaro Walnut™  
60W Candelabra Base (Included)  
11 1/4"Dia. x 6 1/2"H



**K9515-1**

Three Light  
Frosted White  
40W Candelabra Base (Included)  
12 1/4"Dia. x 2 1/2"H  
Includes Brushed Nickel & White Caps



**K9515-2**

Three Light  
Tea Stain  
40W Candelabra Base (Included)  
12 1/4"Dia. x 2 1/2"H  
Includes Dark Brushed Bronze & Oil  
Rubbed Bronze Caps



**K9525-1**

Three Light  
Frosted White  
40W Candelabra Base (Included)  
12 1/4"Dia. x 2 1/2"H  
Includes Brushed Nickel & White Caps



**K9525-2**

Three Light  
Tea Stain  
40W Candelabra Base (Included)  
12 1/4"Dia. x 2 1/2"H  
Includes Dark Brushed Bronze & Oil  
Rubbed Bronze Caps



\* **K9548**

Three Light  
Etched Swirl  
60W Candelabra Base (Included)  
12"Dia. x 5"H



**K9380-1**

Two Light  
French Scavo  
13W GU24 Spiral CFL Base  
(Included)  
11 1/2"Dia. x 5 1/2"H



**K9380-2**

Two Light  
Excavation  
13W GU24 Spiral CFL Base  
(Included)  
11 1/2"Dia. x 5 1/2"H

\* Additional Cap Finishes Available

Please Note: All Light Kits include Chain with Decorative Fob. (Not shown)

WWW.MINKA.AIRE.COM

# UNIVERSAL LIGHT KITS



**\* K9369-L**

Three Light  
Etched Swirl  
60W Candelabra Base (Included)  
13 1/4"Dia. x 6 1/4"H



**K9372-1**

Three Light  
Caspian™  
60W Candelabra Base (Included)  
13 1/4"Dia. x 6 3/4"H



**K9372-2**

Three Light  
Excavation  
60W Candelabra Base (Included)  
13 1/4"Dia. x 6 3/4"H



**K9372-3**

Three Light  
Parchment  
60W Candelabra Base (Included)  
13 1/4"Dia. x 6 3/4"H



**K9372-4**

Three Light  
Venetian Scavo  
60W Candelabra Base (Included)  
13 1/4"Dia. x 6 3/4"H



**K9372-5**

Three Light  
Alabaster Dust™  
60W Candelabra Base (Included)  
13 1/4"Dia. x 6 3/4"H



**\* K9363-L**

Three Light  
Etched Marble  
60W Candelabra Base (Included)  
13 1/4"Dia. x 6 3/4"H



**\* K9376-1**

Three Light  
Caspian™  
60W Candelabra Base (Included)  
16"Dia. x 7 1/2"H



**\* K9376-2**

Three Light  
Excavation  
60W Candelabra Base (Included)  
16"Dia. x 7 1/2"H

*Please Note: All Light Kits Include Chain with Decorative Fob. (Not Shown)*



**\* Additional Cap Finishes Available**

- |           |                                     |               |                                |
|-----------|-------------------------------------|---------------|--------------------------------|
| AC100     | Swirled Glass                       | AC100-PBL     | Provencal Blanc                |
| AC100-BCW | Belcara Walnut™                     | AC100-PI      | Patina Iron                    |
| AC100-BS  | Brushed Steel                       | AC100-PW      | Pewter                         |
| AC100-BWH | Bone White                          | AC100-STW/GOW | Sterling Walnut™/Golden Walnut |
| AC100-CT  | Cattera Bronze™                     | AC100-SWH     | Shell White                    |
| AC100-DBB | Dark Brushed Bronze                 | AC100-VRT     | Vintage Rust™                  |
| AC100-EX  | Excavation                          |               |                                |
| AC100-FB  | French Beige                        |               |                                |
| AC100-KA  | Kocoo                               |               |                                |
| AC100-MCG | Mottled Copper with Gold Highlights |               |                                |
| AC100-ORB | Oil Rubbed Bronze                   |               |                                |



**K9373-L-BS**



**K9373-L-ORB**



**K9373-L-WH**

**K9373**

One Light Opal Glass  
50W Mini-Can Xenon (Included)  
9 1/2" Dia. x 5 1/4" H  
For 30"/32" Sweep Fans



**K9374-L-BS**



**K9374-L-WH**

**K9374**

One Light Opal Glass  
50W Mini-Can Xenon (Included)  
10 1/2" Dia. x 5 1/4" H  
For 40"/44" Sweep Fans



**K9375-L-BS**



**K9375-L-BWH**

**K9375**

One Light Opal Glass  
50W Mini-Can Xenon (Included)  
11 1/2" Dia. x 5 3/4" H  
For 50"/56" Sweep Fans



**K9375-L-ORB**



**K9375-L-WH**

*Please Note: All Light Kits Include Chain with Decorative Fob. (Not Shown)*



**K9401-L-BWH**



**K9401-L-DRF**



**K9401-L-HT**



**K9401-L-MW**

**Wet Location**

**K9401**

Two Light Opal Glass  
13W GU24 Spiral  
CFL Bulbs (Included)  
10 1/2" Dia. x 5 1/2" H



**K9401-L-ORB**



**K9401-L-VRT**



**K9401-L-WH**



**K9402-L-ORB**



**K9402-L-44**

**K9402**

One Light Opal Glass  
60W Candelabra Base (Included)  
7 3/4" Dia. x 8 1/2" H

**Finish Codes**

BS	Brushed Steel	MW	Mossoro Walnut™
BWH	Bone White	ORB	Oil Rubbed Bronze
DRF	Driftwood	VRT	Vintage Rust™
HT	Heritage™	WH/44	White

# UNIVERSAL LIGHT KITS

## K37


Four Light  
40W Candelabra Base (Included)  
2 1/4" Side Shade  
13"Dia. x 6 1/2"H



**K37-L-BCW**

## K1

Four Light  
40W Candelabra Base (Included)  
2 1/4" Side Fitter  
11 3/4"Dia. x 3"H




**K1-L-BCW**



**K1-L-BS**



**K1-L-ORB**



**K1-L-44**

## K1099

One Light  
Opal Glass  
60W Candelabra Base (Included)  
8 1/2"Dia. x 6 3/4"H



**K1099-1-L-44**



## K9365-L-44 (Low Profile)

Three Light  
Etched Marble  
60W Candelabra Base (Included)  
12 1/2"Dia. x 4 1/2"H



## GC900 SET

Optional Crystal Set  
Available Only for the F900 Fan



Please Note: All Light Kits Include Chain with Decorative Fob. (Not Shown)

### Finish Codes

BCW	Belcaro Walnut™	ORB	Oil Rubbed Bronze
BS	Brushed Steel	SWH	Shell White



**K33-L-BS**



**K33-L-DBB**



**K33-L-FB**



**K33-L-MCG**



**K33-L-ORB**



**K33-L-PI**



**K33-L-44**

**K33**  
 Three Light  
 60W Candelabra Base  
 (Included)  
 2 1/4" Side Shade  
 6 1/4" Dia. x 3 1/2" H



**K35-CC**



**K35-FB**



**K35-KA**



**K35-MCG**



**K35-ORB**



**K35-PBL**



**K35-PI**



**K35-PW**



**K35-SWH**

**K35**  
 Three Light  
 13W Spiral Medium Base  
 (Included)  
 2 1/4" Side Shade  
 7 1/4" Dia. x 3 1/2" H



**K35-VP**



**K35-44**

**Finish Codes**

BN	Brushed Nickel	KA	Kocoa	PW	Pewter
BS	Brushed Steel	MCG	Mottled Copper w/Gold	SWH	Shell White
CC	Cognac	ORB	Oil Rubbed Bronze	VP	Vineyard Patina
DBB	Dark Brushed Bronze	PBL	Provencal Blanc	WH/44	White
FB	French Beige	PI	Patina Iron		

*Please Note: All Light Kits Include Chain with Decorative Fob. (Not Shown)*

# UNIVERSAL LIGHT KITS



## K34


Four Light  
13W Spiral Medium Base  
(Included)  
2 1/4" Side Shade  
11 3/4"Dia. x 2 3/4"H



**K34-BN**



**K34-BCW**



**K34-BS**



**K34-CC**



**K34-DBB**



**K34-KA**



**K34-MCG**




**K34-ORB**




**K34-PI**



**K34-PW**



**K34-SWH**



**K34-44**

### Finish Codes

BN	Brushed Nickel	DBB	Dark Brushed Bronze	PI	Patina Iron
BCW	Dark Brushed Bronze	KA	Kocoa	PW	Pewter
BS	Brushed Steel	MCG	Mottled Copper w/Gold	SWH	Shell White
CC	Cognac	ORB	Oil Rubbed Bronze	WH/44	White

# CUSTOM LIGHT KITS



**K9614-DBB**



**K9614-FB**



**K9614-MCG**



**K9614-PI**



**K9614-PW**

## **K9614**

Three Light  
60W Candelabra Base  
(Included)  
2 1/4" Side Shade  
8 1/2"Dia. x 3 1/4"H

Compatible with the  
F614 Timeless Fans Only



**K9659-BCW**



**K9659-DRF**



**K9659-FB**



**K9659-MCG**



**K9659-PBL**



**K9659-PI**

## **K9659**

Three Light  
60W Candelabra Base  
(Included)  
2 1/4" Side Shade  
7 1/2"Dia. x 3 1/2"H

Compatible with the  
F659 Classica Fans Only

### **Finish Codes**

BCW	Belcaro Walnut™	FB	French Beige	PI	Patina Iron
DBB	Dark Brushed Bronze	MCG	Mottled Copper w/Gold	PW	Pewter
DRF	Driftwood	PBL	Provencal Blanc		

*Please Note: All Light Kits Include Chain with Decorative Fob. (Not Shown)*

# 2 1/4" GLASS SHADES



**2018A**  
Opal  
4 3/4"Dia. x 4 1/2"H



**\* 2548**  
Etched Opal  
5 3/4"Dia. x 4 1/2"H



**\* 2549**  
Etched Marble  
5 3/4"Dia. x 4 1/2"H



**\* 2560**  
Frosted/Clear  
5"Dia. x 4 3/4"H



**2565**  
Etched Seeded  
4 3/4"Dia. x 4 3/4"H



**\* 2593-1**  
Aged Champagne  
5"Dia. x 5 1/4"H



**\* 2593-2**  
Excavation  
5"Dia. x 5 1/4"H



**\* 2593-4**  
Venetian Scavo  
5"Dia. x 5 1/4"H



**\* 2593-5**  
French Cream  
5"Dia. x 5 1/4"H



**2632**  
Salon Scavo™  
5"Dia. x 4 3/4"H



**2636**  
Tuscan Scavo  
5"Dia. x 4 3/4"H



**2645**  
Linen  
5"Dia. x 5 1/4"H



**2646**  
Tuscan Scavo  
5"Dia. x 5 1/4"H



**2652**  
Etched Marble  
5"Dia. x 4 3/4"H



**4099**  
4" Opal Glass  
Shade  
8 1/2"Dia. x 5 1/2"H



# CUSTOM LED LIGHT KITS



**K9838L-DK**



**K9838L-SL**



**K9838L-WH**

## **K9838L**

LED Light  
15W LED (Incl.)  
6½" Dia. x 1¾" H  
1,300 Lumens  
3,000 Kelvin  
CRI 80

Compatible with the  
F838L Force Fans Only



**K9886L-BNW**



**K9886L-ORB**



**K9886L-WHF**



**K9886L-SI**

## **K9886L**

LED Light  
20W LED (Incl.)  
6½" Dia. x 1¾" H  
1,430 Lumens  
3,000 Kelvin  
CRI 80

Compatible with the  
F886 Xtreme H<sub>2</sub>O Fans Only



**K9787L-ORB**



**K9787L-SL**



**K9787L-WHF**

## **K9787L**

LED Light  
15W LED (Incl.)  
5" Dia. x 1½" H  
1,300 Lumens  
3,000 Kelvin  
CRI 80

Compatible with the  
F787 Simple Fans Only

### **Finish Codes**

BNW	Brushed Nickel Wet	PBL	Provencal Blanc	SI	Smoked Iron
DK	Distressed Koa	PI	Patina Iron	WH/44	White
ORB	Oil Rubbed Bronze	PW	Pewter	WHF	Flat White



**RCS212 Full  
Function Hand Held  
AireControl®  
Remote System  
256 Bit**

- Three Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer with Independent Up/Downlight Control
- Includes One (1) Hand Held Remote Control, Wall Holster
- Wireless Remote Operation
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS212 Wall Mount AireControl®
- 12 Volt Battery Included

U.S. Patent(s): D533,514; D551,008; 8,253,272



**RCS213 Hand Held  
AireControl®  
Remote System  
256 Bit**

- Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Wireless Remote Operation
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS223 Wall AireControl®
- 12 Volt Battery Included

U.S. Patent(s): D533,514; D551,008; 8,253,272



**RCS223 Hand Held  
AireControl®  
Remote System  
256 Bit**

- Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster and Canopy Mounted Receiver
- Wireless Remote Operation
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS213 Wall AireControl®
- 12 Volt Battery Included

U.S. Patent(s): D533,514; D551,008; 8,253,272



**RC400  
AireControl®  
Remote System**

- For F726, F787L, F823, F828, F838L, F886, F887, F888 and F889 Fans Only
- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Wireless Remote Operation
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In

U.S. Patent(s): D533,514; D551,008



**RC500  
AireControl®  
Remote System**

- For F737, F853 and F853L Fans Only
- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Wireless Remote Operation
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In

U.S. Patent(s): D533,514; D551,008



**RC600  
AireControl®  
Remote System**

- For F617L, F745, F899L and F905 Fans Only
- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Wireless Remote Operation
- Operates at Distance of 23' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In

U.S. Patent(s): D533,514; D551,008



**WCS212  
Full Function  
AireControl®  
256 Bit**

- Three Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer with Independent Up/Downlight Control
- Wireless Remote Operation
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS212 Wall Mount AireControl®
- 12 Volt Battery Included
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514; 8,253,272



**WCS213  
AireControl®  
256 Bit**

- Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Wireless Remote Operation
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS223 Wall AireControl®
- 12 Volt Battery Included
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514; 8,253,272



**WCS223  
AireControl®  
256 Bit**

- Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Wireless Remote Operation
- Operates at Distance of 20-40' Distance; Depends on Quality/Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS213 Wall AireControl®
- 12 Volt Battery Included
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514; 8,253,272



Full Function Hand Held  
Remote Control

An ultra-thin design exclusive to Minka-Aire®, the remote enables the user with one finger to control all functions of Minka-Aire® ceiling fans.

AireControl® by Minka-Aire® controls all functions: reverse, uplight (where applicable), fan light, speed control, as well as off-on (RCS212 and WCS212)

RCS213, RCS223, WCS213 and WCS223 controls do not include the reverse function.

Included is a holster if you want to wall mount the control for your convenience.



**WC400**  
**AireControl**<sup>®</sup>

- For F726, F787L, F823, F828, F838L, F886, F887, F888 and F889 Fans Only
- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Wireless Remote Operation
- Operates at Distance of 23' Distance; Depends on Quality/ Materials Used in Construction of Room/Building Fan is Hung In
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514



**WC500**  
**AireControl**<sup>®</sup>

- For F737, F853 and F853L Fans Only
- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Wireless Remote Operation
- Operates at Distance of 23' Distance; Depends on Quality/ Materials Used in Construction of Room/Building Fan is Hung In
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514



**WC600**  
**AireControl**<sup>®</sup>

- For F617L, F745, F899L and F905 Fans Only
- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Wireless Remote Operation
- Operates at Distance of 23' Distance; Depends on Quality/ Materials Used in Construction of Room/Building Fan is Hung In
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514



**WC105-WH  
Speed Control**

- Four Speed Fan Control
- 2-Wire Installation



**WC115  
Speed Control**

- For F624 Fans Only
- Four Speed Fan Control
- 2-Wire Installation



**WC106-WH  
Speed Control**

- Four Speed Fan Control
- Full Range Dimmer
- 3-Wire Installation



**WC110  
Speed Control**

- For F510 Fans Only
- Four Speed Fan Control
- Full Range Dimmer
- 3-Wire Installation



**WC116  
Speed Control**

- For F727 Fans Only
- Four Speed Fan Control
- Full Range Dimmer
- 3-Wire Installation

### Fan Control Systems Compatibility Chart

FAN MODEL	FAN NAME	PAGE	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WCS212	WCS213	WCS223
<b>F302</b>	Gyrette™	117	Incl.					•		
<b>F304L</b>	Cage Free Gyro™	116	•					Incl.		
<b>F306L</b>	Elemental Gyro™	115	•					Incl.		
<b>F307</b>	Anywhere	164								
<b>F402</b>	Gyro™ Wet	112,170	•					Incl.		
<b>F474/ F574</b>	Concept™ II Wet 52"	182	•					Incl.		
<b>F476/ F577</b>	Concept™ I Wet 52"	180	•					Incl.		
<b>F477</b>	Concept™ I Wet 58"	178	•					Incl.		
<b>F502</b>	Traditional Gyro™	110	•					Incl.		
<b>F510</b>	Spacesaver	230					Wall Control Included WC110			
<b>F513</b>	New Era	104	Incl.					•		
<b>F514</b>	Zen	102	Incl.					•		
<b>F516</b>	Concept™ I 44"	88	Incl.					•		
<b>F517</b>	Concept™ I 52"	88	Incl.					•		
<b>F518</b>	Concept™ II 44"	92	Incl.					•		
<b>F519</b>	Concept™ II 52"	90	Incl.					•		
<b>F521</b>	Aluma	36			•		Incl.			•
<b>F522</b>	Mojo	226			•		•			•
<b>F523</b>	Aluma Wet	192		Incl.						
<b>F524</b>	Roto	64			•	Incl.				•
<b>F528</b>	San Francisco®	54		•		•			Incl.	
<b>F529</b>	San Francisco®	54		•			•		Incl.	
<b>F531</b>	Flyte®	62		•			•		Incl.	
<b>F532</b>	Sunseeker	202				•	•			
<b>F533</b>	Mojo II	228			•		•			•
<b>F534L</b>	Lun-Aire	216	Compatible with WCS213 & RCS213 - must use Receiver L001041000S							
<b>F539</b>	Great Room Traditional	120	•					Incl.		
<b>F544</b>	Calais™	159		Incl.			•		•	

• = Compatibility

Please Note: 256 Bit remote systems are not compatible with 32 Bit remote systems.  
 - 256 Bit systems have a Green LED and Green receiver boxes.  
 - 32 Bit systems have a Red LED and Black receiver boxes.

### Fan Control Systems Compatibility Chart

FAN MODEL	FAN NAME	PAGE	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WCS212	WCS213	WCS223
<b>F546</b>	Contractor 42"	264			•	•	•			•
<b>F547</b>	Contractor 52"	262			•	•	•			•
<b>F548</b>	Contractor Uni-Pack	258			•		•			•
<b>F556</b>	Contractor Plus	238			•		•			•
<b>F556L</b>	Contractor LED	236		Incl.						
<b>F562</b>	Supra® 32"	252			•	•	•			•
<b>F563</b>	Supra® 44"	250			•	•	•			•
<b>F563-SP</b>	Supra® 44"	248			•		•			•
<b>F565</b>	Mesa™ 52"	266				•	•			
<b>F566</b>	Mesa™ 42"	266				•	•			
<b>F568</b>	Supra® 52"	244			•	•	•			•
<b>F569</b>	Supra® 52"	242		•	Incl.		•		•	
<b>F571</b>	Sundance™ 52"	208				•	•			
<b>F572</b>	Sundance™ 42"	208				•	•			
<b>F580</b>	Shangri-La®	212					•			
<b>F581</b>	Gauguin™	210	•					Incl.		
<b>F582</b>	Rainman™	198		•			•		Incl.	
<b>F588-SP</b>	Ultra-Max™	240	Incl.					Incl.		
<b>F589</b>	Sundowner®	204				•	•			
<b>F593</b>	Traditional Concept™ 44"	96	•					Incl.		
<b>F594</b>	Traditional Concept™ 52"	94,184	•					Incl.		
<b>F596</b>	Cirque™	100	•					Incl.		
<b>F598</b>	Airus™	106	•					Incl.		
<b>F601</b>	Acero™	80	•					Incl.		
<b>F602</b>	Gyro™	111	•					Incl.		
<b>F603</b>	Como™	82	•					Incl.		
<b>F614</b>	Timeless	128			•	•	•			•
<b>F617L</b>	Raptor	6	Special Remote Included RC600, Compatible with WC600							

• = Compatibility

Please Note: 256 Bit remote systems are not compatible with 32 Bit remote systems.  
 - 256 Bit systems have a Green LED and Green receiver boxes.  
 - 32 Bit systems have a Red LED and Black receiver boxes.

### Fan Control Systems Compatibility Chart

FAN MODEL	FAN NAME	PAGE	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WCS212	WCS213	WCS223
<b>F618L</b>	Ellipse	84	Special Remote Included RC600, Compatible with WC600							
<b>F620</b>	Bolo™	146		Incl.			•		•	
<b>F622</b>	Traditional Mojo	224			•		•			•
<b>F624</b>	Roto XL	176	Wall Control Included WC115							
<b>F647</b>	Contractor Uni-Pack	254			•		•			•
<b>F648</b>	Contractor Uni-Pack	256			•					•
<b>F656L</b>	Contractor Uni-Pack LED	234	Compatible with WCS213 & RCS213 - must use Receiver L001021500S							
<b>F659</b>	Classica	154			•	•	•			•
<b>F681</b>	Groton	174	Incl.					•		
<b>F683L</b>	Shade	196	Special Remote Included RC400, Compatible with WC400							
<b>F688</b>	Kola	136			•	•	•			•
<b>F689</b>	Kola-XL	134	Incl.					•		
<b>F695</b>	Kafé	142			•	•	•			•
<b>F696</b>	Kafé-XL	138	Incl.					•		
<b>F701</b>	Delano®	124		•			•			Incl.
<b>F702</b>	Volterra™	158		•			•			Incl.
<b>F705</b>	Napoli™	150	•						Incl.	
<b>F711</b>	Delano® II	126	•						Incl.	
<b>F715</b>	Napoli™ II	151	•						Incl.	
<b>F726</b>	Spectre	50	Special Remote Included RC400, Compatible with WC400							
<b>F727</b>	Rudolph	218	Wall Control Included WC116, Compatible with RCS213 & WCS223							
<b>F729</b>	Steal	222			•	Incl.				•
<b>F733</b>	Gilera	78	•						Incl.	
<b>F734</b>	Strata	194		Incl.						
<b>F738</b>	Pancake	12	Incl.					•		
<b>F739L</b>	Pancake XL LED	8	Special Remote Included RC500, Compatible with WC500							
<b>F745</b>	Sabot	60	Special Remote Included RC600, Compatible with WC600							
<b>F753</b>	Java	76,190		Incl.						

• = Compatibility

Please Note: 256 Bit remote systems are not compatible with 32 Bit remote systems.  
 - 256 Bit systems have a Green LED and Green receiver boxes.  
 - 32 Bit systems have a Red LED and Black receiver boxes.



### Fan Control Systems Compatibility Chart

FAN MODEL	FAN NAME	PAGE	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WCS212	WCS213	WCS223
<b>F753L</b>	Java LED	74		Incl.						
<b>F759</b>	Classica Gallery Edition	152		Incl.					•	
<b>F787</b>	Simple	56,172		Special Remote Included RC400, Compatible with WC400						
<b>F802</b>	Vintage Gyro™	108	•					Incl.		
<b>F803</b>	Artemis™	30	•					Incl.		
<b>F812</b>	Lineage™	149	•					Incl.		
<b>F820</b>	Santa Lucia™	148	•					Incl.		
<b>F823</b>	Wing	58		Special Remote Included RC400, Compatible with WC400						
<b>F824</b>	Uchiwa	98	•					Incl.		
<b>F828</b>	Symbio	72		Special Remote Included RC400, Compatible with WC400						
<b>F833</b>	Kewl	86			•	Incl.				•
<b>F838L</b>	Force	40		Special Remote Included RC400, Compatible with WC400						
<b>F840</b>	Craftsman™	213	•					Incl.		
<b>F843</b>	Wave	68		Incl.					•	
<b>F844</b>	Light Wave	66		Incl.					•	
<b>F852L</b>	Alva	198		Special Remote Included RC500, Compatible with WC500						
<b>F853</b>	Aviation	46		Special Remote Included RC500, Compatible with WC500						
<b>F853L</b>	Aviation LED	42		Special Remote Included RC500, Compatible with WC500						
<b>F886-65</b>	Xtreme H <sub>2</sub> O	21		Special Remote Included RC400, Compatible with WC400						
<b>F886-84</b>	Xtreme H <sub>2</sub> O	16		Special Remote Included RC400, Compatible with WC400						
<b>F887</b>	Xtreme	21		Special Remote Included RC400, Compatible with WC400						
<b>F888</b>	Slipstream	14,200		Special Remote Included RC400, Compatible with WC400						
<b>F899L</b>	Ninety-Nine	26		Special Remote Included RC600, Compatible with WC600						
<b>F900</b>	Cristafano™	160	•					Incl.		
<b>F905</b>	Artemis™ XL5	36		Special Remote Included RC600, Compatible with WC600						
<b>F1000</b>	Dyno	220		Incl.					•	

• = Compatibility

Please Note: 256 Bit remote systems are not compatible with 32 Bit remote systems.  
 - 256 Bit systems have a Green LED and Green receiver boxes.  
 - 32 Bit systems have a Red LED and Black receiver boxes.

# HANGING SYSTEMS



FINISH	ABDD	BCW	BG	BI	BK	BN	BN/MG	BNW	BS	BNK	BWH	CC	CF	CPBR	CT	DBB	DKG	DRB	DRFF	FB	GI	GL	GM	HBZ	HT	IBR	IO	KA
--------	------	-----	----	----	----	----	-------	-----	----	-----	-----	----	----	------	----	-----	-----	-----	------	----	----	----	----	-----	----	-----	----	----

## DR5 SERIES DOWNROD ARE 3/4" I.D.

DR500-COUPLER	•**	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR512	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR518	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR524	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR536	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR548	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR560	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR572	•	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

## PRE-WIRED DOWNBRIDGE™ KIT (FOR USE WITH F528 AND F529 ONLY)

DK06-6"	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DK24-24"	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DK36-36"	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DK48-48"	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DK60-60"	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DK72-72"	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

## DOWNLINK™ KIT (FOR USE WITH F531 ONLY)

DL06-6"	-	-	-	-	-	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DL15-15"	-	-	-	-	-	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DL27-27"	-	-	-	-	-	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DL39-39"	-	-	-	-	-	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DL51-51"	-	-	-	-	-	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DL63-63"	-	-	-	-	-	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DL75-75"	-	-	-	-	-	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

## MINKA-AIRE® 45° SLOPE CEILING ADAPTER KITS (SCA)


* A245 3/4" I.D.	•**	•	•	•	•	•	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
A180	-	•	-	•	•	•	-	•	•	-	•	•	•	•	•	•	•	•	•	•	-	•	-	-	•	•	-	•	
*** A581	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Minka-Aire® offers a full selection of downrods in 59 finishes and 8 lengths to complement any Minka-Aire® ceiling fan.


\* A245 3/4" I.D. is also available in PR (Primer) finish.

\*\* For F524-ABD, only.

\*\*\* For F581, only.



GI Galvanized Gun Metal Heirloom Bronze Heritage Illuminati Bronze Iron Oxide Kocoba Liquid Nickel MCG Mottled Copper w/ Gold MG Mahogany Finish MP Maple Finish MW Mossoro Walnut ODK Outdoor Distress Koa ORB Oil Rubbed Bronze



PBL Provencal Blanc PI Patina Iron PN Polished Nickel PW Pewter RD Red RRB Restoration Bronze RW Rosewood SDBK Sand Black SI Smoked Iron SL Silver STW/GOW Sterling Walnut/Golden Walnut SWH Shell White TI Tarnished Iron TSP Tuscan Patina VB Volterra Bronze VP Vineyard Patina VRT Vintage Rust WA Weathered Aluminum WH/44 White WHF Flat White

FINISH	LN	MCG	MG	MP	MW	ODK	ORB	PBL	PI	PN	PW	RD	RRB	RW	SDBK	SI	SL	STW/GOW	SWH	TI	TSP	VB	VP	VRT	WA	WH/44	WHF
--------	----	-----	----	----	----	-----	-----	-----	----	----	----	----	-----	----	------	----	----	---------	-----	----	-----	----	----	-----	----	-------	-----

**DR5 SERIES DOWNROD ARE 3/4" I.D.**

DR500-COUPLER	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR512	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR518	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR524	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR536	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR548	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR560	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR572	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

**PRE-WIRED DOWNBRIDGE™ KIT (FOR USE WITH F528 AND F529 ONLY)**

DK06-6"	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DK24-24"	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DK36-36"	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DK48-48"	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DK60-60"	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DK72-72"	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

**DOWNLINK™ KIT (FOR USE WITH F531 ONLY)**

DL06-6"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-
DL15-15"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-
DL27-27"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-
DL39-39"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-
DL51-51"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-
DL63-63"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-
DL75-75"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-

**MINKA-AIRE® 45° SLOPE CEILING ADAPTER KITS (SCA)**

* A245 3/4" I.D.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
A180	•	•	•	•	•	•	•	•	•	•	•	•	-	-	-	•	-	•	•	-	•	-	•	•	-	•	•	
*** A581	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	

All component parts and hardware supplied with your Minka-Aire® ceiling fan have been designed and engineered to assure proper and safe installation of your new ceiling fan. Substituting parts or hardware, such as, but not limited to the hanger ball and the hanger bracket, not supplied with your ceiling fan by Minka-Aire®, will void the Minka-Aire® Warranty.

# HANGING SYSTEMS




## Low Ceiling Adapter A180

For use on:  
F513, F514, F522, F546, F547, F548, F556,  
F562, F563, F568, F569, F588, F589, F596,  
F601, F603, F614, F620, F622, F647, F648,  
F659, F688, F689, F695, F696, F759, F824, F905

## Low Ceiling Adapter A581

For use on:  
F581



A581-BG

A581-ORB

A581-WHF

## Pre-Wired Downbridge™ Kit

(for use on F528 and F529 only)



DK36

Downbridge™ Kit  
Maximum length is 72"

(Size and Finish: See Page(s): 54

*Note: It is not possible to join Downbridge™ or Downlink™ kits together for hanging fans in excess of maximum kit lengths.*

## Downlink™ Kit

(for use on F531 only)



DL39

Downlink™ Kit  
Maximum length is 72"

(Size and Finish: See Page(s): 62



## Slope Ceiling Adapter Kit (SCA)


**A245-BN**  
(3/4" I.D.)

U.S. Patent(s): 7,510,160

## Minka-Aire® 45° Slope Ceiling Adapter Kit (SCA)

Minka-Aire® SCA Kit was designed to meet the needs of the home building industry as demand increases for higher, more steeply angled ceilings. Minka-Aire® A245 SCA is used with 3/4" I.D. DR5 Series Downrod.

Sloped Ceiling Application with standard hanging systems for slopes up to a maximum of 21°



The above kit as shown includes the mounting bracket, the angled ball assembly and locking pin. For fans that weigh in excess of 35lbs, simply use the hanging bracket that comes with the fan in the box (75lbs rating standard) and the kit's angled ball assembly and locking pin. (Fan model numbers F528, F529 and F531 do not apply because of their unique Downbridge™ hanging systems)

Sloped Ceiling Installation  
Minka-Aire® ceiling fans equipped with universal hanging systems may be hung from standard or vaulted ceilings up to 21° pitch.

When ordering SCA specify finish to match your needs.

## Finishes Available:

ABR, BCW, BG, BI, BK, BN, BNK, BNW, BS, BWH, CC, CF, CH, CPBR, CT, DBB, DKG, DRB, DRF, FB, FLP, GL, HBZ, HT, IBR, IO, KA, LN, MCG, MG, MP, MW, ORB, PBL, PI, PN, PR, PW, RD, RRB, SI, SL, SLV, STW/GOW, SWH, TI, TSP, VB, VP, VRT, WH, WHF

(PR - Primer finish ready for painting to match your ceiling)

## F738 and F739L Fan Only



Internal Threaded Downrod  
(3/4" I.D.)

	ASL	BN	DK	ORB	WHF
DR1512	•	•	•	•	•
DR1518	•	•	•	•	•
DR1524	•	•	•	•	•
DR1536	•	•	•	•	•
DR1548	•	-	•	•	•
DR1560	•	-	•	•	•
DR1572	•	-	•	•	•




## Downrod Coupler DR500 (3/4" I.D.)

For those occasions when you need to hang your ceiling fan on a longer than 72" downrod, simply use one of our downrod couplers (DR500) available in finishes to match all our fans and downrods. The coupler enables you to couple our 3/4" downrods together and hang fans on total downrod lengths of up to 144".

# FINISHES



AB  
Antique Brass



ABD / ABDD  
Brushed Aluminum



BCW  
Belcaro Walnut™



BG  
Bahama Beige™



BI/AI  
Black Iron/Aged Iron  
Accents




BK  
Black




BN  
Brushed Nickel  
(Plated)



BNK  
Burnished Nickel



BNW  
Brushed Nickel Wet  
(Plated)



BS  
Brushed Steel




BWH  
Bone White



CC  
Cognac



CF  
Craftsman™



CH  
Chrome  
(Plated)



CPBR  
Copper Bronze



CT  
Cattera Bronze™



DBB  
Dark Brushed Bronze



DK / ODK  
Distressed Koa



DKG  
Distressed Koa with  
Gold Highlights



DRB  
Dark Restoration Bronze™



DRF / DRFF  
Driftwood



FB  
French Beige



GBZ  
Golden Bronze



GI  
Grey Iron



GM  
Gun Metal



GL  
Galvanized



HBZ  
Heirloom Bronze



HT  
Heritage™



IBR  
Illuminati Bronze™



IO  
Iron Oxide



KA  
Kocoa



LN  
Liquid Nickel  
(Plated)



MBK  
Matte Black



MCG  
Mottled Copper  
with Gold Highlights



MG  
Mahogany



MP  
Maple



MW  
Mossoro Walnut™



ORB  
Oil Rubbed Bronze




ORG  
Orange




PBL  
Provencal Blanc



PI  
Patina Iron



PN  
Polished Nickel  
(Plated)



PW  
Pewter



RD  
Red



RRB  
Restoration Bronze™



RW  
Rosewood



SDBK  
Sand Black



SI  
Smoked Iron




SL  
Silver



STW  
Sterling Walnut™



SWH  
Shell White



TB  
Toned Brass  
(Plated)



TI  
Tarnished Iron



TSP  
Tuscan Patina™



VB  
Volterra Bronze™



VP  
Vineyard Patina



VRT  
Vintage Rust™




WH  
White




WHF  
Flat White

Hand-painted finishes and components made from natural material may reflect variations in color and texture. These are not imperfections and enhance the unique appearance of each and every Minka-Aire® fixture. Specifications are subject to change at any time.

# ACCESSORY FAN BLADES




**CW**  
Cherry Wood



**DC**  
Dark Cherry




**DM**  
Dark Maple




**DW**  
Dark Walnut




**LC**  
Light Cherry



**LM**  
Light Maple



**ML**  
Reversible  
Medium Oak



**MM**  
Medium Maple

## Fan Blade Compatibility Chart

Model	Fan Name	CW	DC	DM	DW	LC	LM	ML	MM	MO
F516	Concept™ I	N/A	N/A	FB216-DM	FB216-DW	N/A	N/A	N/A	N/A	N/A
F517	Concept™ I	N/A	N/A	FB217-DM	FB217-DW	N/A	N/A	N/A	N/A	N/A
F518	Concept™ II	N/A	N/A	FB216-DM	FB216-DW	N/A	N/A	N/A	N/A	N/A
F519	Concept™ II	N/A	N/A	FB217-DM	FB217-DW	N/A	N/A	N/A	N/A	N/A
F528	San Francisco®	FB106-CW	N/A	N/A	N/A	N/A	N/A	N/A	FB106-MM	N/A
F529	San Francisco®	FB106-CW	N/A	N/A	N/A	N/A	N/A	N/A	FB106-MM	N/A
F547	Contractor	N/A	N/A	FB103S-DM	FB103S-DW	FB103S-LC	FB103S-LM	FB103S-ML	FB103S-MM	N/A
F548	Contractor Uni-Pack	N/A	N/A	FB103S-DM	FB103S-DW	FB103S-LC	FB103S-LM	FB103S-ML	FB103S-MM	N/A
F562	Supra® 32"	N/A	FB422-DC	FB422-DM	FB422-DW	FB422-LC	FB422-LM	N/A	FB422-MM	N/A
F563	Supra® 44"	N/A	FB423-DC	FB423-DM	FB423-DW	FB423-LC	FB423-LM	N/A	FB423-MM	N/A
F568	Supra® 52"	N/A	FB424-DC	FB424-DM	FB424-DW	FB424-LC	FB424-LM	N/A	FB424-MM	N/A
F588	Ultra-Max™ 54"	FB107T-CW	N/A	N/A	FB107T-DW	FB107T-LC	N/A	N/A	FB107T-MM	N/A
F589	Sundowner®	N/A	N/A	FB107P-DM	FB107P-DW	N/A	N/A	N/A	FB107P-MM	N/A
F596	Cirque™		Optional Blades Sets are the FB196-RYB (Multi-colored, Red, Yellow, Blue) and the FB196-MG (Mahogany Finish)							
F647	Contractor Uni-Pack	N/A	N/A	FB103S-DM	FB103S-DW	FB103S-LC	FB103S-LM	FB103S-ML	FB103S-MM	N/A



## Fan Blade Compatibility Chart

Model	Fan Name	NM	NP	NW	ORB	RW	SL	SWH	WO	WP	
F516	Concept™ I	N/A	N/A	N/A	FB216-ORB	N/A	N/A	N/A	N/A	N/A	
F517	Concept™ I	N/A	N/A	N/A	FB217-ORB	N/A	N/A	N/A	N/A	N/A	
F518	Concept™ II	N/A	N/A	N/A	FB216-ORB	N/A	N/A	N/A	N/A	N/A	
F519	Concept™ II	N/A	N/A	N/A	FB217-ORB	N/A	N/A	N/A	N/A	N/A	
F528	San Francisco®	N/A	N/A	N/A	N/A	N/A	FB106-SL	N/A	N/A	N/A	
F529	San Francisco®	N/A	N/A	N/A	N/A	N/A	FB106-SL	N/A	N/A	N/A	
F547	Contractor	FB103S-NM	N/A	FB103S-NW	N/A	FB103S-RW	FB103S-SL	FB103S-SWH	FB103S-WO	FB103S-WP	
F548	Contractor Uni-Pack	FB103S-NM	N/A	FB103S-NW	N/A	FB103S-RW	FB103S-SL	FB103S-SWH	FB103S-WO	FB103S-WP	
F562	Supra® 32"	N/A	N/A	FB422-NW	N/A	N/A	FB422-SL	N/A	FB422-WO	FB422-WP	
F563	Supra® 44"	N/A	N/A	FB423-NW	N/A	N/A	FB423-SL	N/A	FB423-WO	FB423-WP	
F568	Supra® 52"	N/A	N/A	FB424-NW	N/A	N/A	FB424-SL	FB424-SWH	FB424-WO	FB424-WP	
F588	Ultra-Max™ 54"	N/A	FB107T-NP	FB107T-NW	N/A	FB107T-RW	N/A	N/A	FB107T-WO	FB107T-WP	
F589	Sundowner®	N/A	N/A	N/A	N/A	N/A	N/A	FB107P-SWH	N/A	N/A	
F596	Cirque™		Optional Blades Sets are the FB196-RYB (Multi-colored, Red, Yellow, Blue) and the FB196-MG (Mahogany Finish)								
F647	Contractor Uni-Pack	FB103S-NM	N/A	FB103S-NW	N/A	FB103S-RW	FB103S-SL	FB103S-SWH	FB103S-WO	FB103S-WP	

# BULB REFERENCE



**Watts: 10W / 20W**  
XENON JCX 12V  
G4 BI-PIN BASE

Frosted JX4-20 (20W)  
Clear JX4C-10 (10W)  
JX4C-20 (20W)




**Watts: 35W / 50W**  
XENON JCX 12V  
GY6.35 BI-PIN BASE

Frosted JX6-35 (35W)  
JX6-50 (50W)



**Watts: 25W / 35W / 40W / 60W / 75W**  
G9 XENON 120V  
G9 BASE

Frosted JX9-025 (25W)  
JX9-035 (35W)  
JX9-040 (45W)  
JX9-060 (60W)  
JX9-075 (75W)  
Clear JX9C-025 (25W)  
JX9C-040 (40W)



**Watts: 20W / 50W**  
XENON 120V  
DC (BAYONET)

JXB15-20 (20W)  
JXB15-50 (50W)



**Watts: 75W**  
XENON 120V  
E12 (CANDELABRA) BASE

Frosted JDXF-12-075 (75W)



**Watts: 50W / 75W / 100W**  
MINI-CAN XENON 120V  
E11 (CANDELABRA) BASE

Frosted JDX-050 (50W)  
JDX-75 (75W)



**Watts: 50W / 75W / 100W**  
MINI-CAN HALOGEN 120V  
E11 (CANDELABRA) BASE

Frosted JDC-50 (50W)  
JDC-75 (75W)  
JDC-100 (100W)  
Clear JD-50 (50W)  
JD-75 (75W)  
JD-100 (100W)



**Watts: 50W**  
JDD XENON 120V  
E12 (CANDELABRA) BASE

Frosted JDX2F-050 (50W)  
Clear JDX2-050 (50W)



**Watts: 100W / 150W**  
78MM 120V DOUBLE ENDED  
HALOGEN (J-TYPE)  
R7S BASE

JB-100 (100W)  
JB-150 (150W)



**Watts: 8W DC / 10W AC / 11W AC / 14W AC**  
LED MODULE

L-L8-MD590 (8W)  
L-AC10-MODULE (10W)  
L-AC10-MD770 (11W)  
L-AC14-MD950 (14W)




**Watts: 50W**  
PAR16 HALOGEN  
E26 (MEDIUM) BASE

PAR16-50 (50W)



**Watts: 35W / 50W**  
HALOGEN MR16 120V  
GU10 BASE

JGU-035 (35W)  
JGU-50 (50W)



**Watts: 20W / 35W / 50W**  
HALOGEN MR16  
GX5.3 BI-PIN BASE

Frosted JMR16-20 (20W 120V)  
JMR16-35 (35W 120V)  
JMR16-50/120V (50W 120V)  
Clear JMR16-C-20 (20W 12V)  
JMR16-C-35 (35W 12V)  
JMR16-C-50 (50W 12V)



**Watts: 13W / 26W**  
SPIRAL CFL  
E26 (MEDIUM) BASE

FLB-13S (13W)




**Watts: 13W / 26W**  
SPIRAL CFL  
GU24 BASE

FLB-13M (13W)  
FLB-26M (26W)



**Watts: 18W / 26W**  
SQUAT SPIRAL CFL  
GU24 BASE

FLS-18M (18W)  
FLS-26M (26W)




**Watts: 40W**  
FERRO  
E26 (MEDIUM) BASE

E26-FW1910-40W (40W)




**Watts: 40W / 60W / 100W**  
T10 120V  
E26 (MEDIUM) BASE

Frosted JT10-060F (60W)  
Clear JT10-040C (40W)  
JT10-060C (60W)  
JT10-100C (100W)



**Watts: 27W**  
FULL 24 CFL  
GX10q-4 BASE

JT4-27 (27W)




**Watts: 13W**  
4-PIN (PL-C)  
G24q-1 BASE

FLT-13Q (13W)



**Watts: 27W**  
CFL  
GX10q-4 BASE

JT2-27 (27W)



**Watts: 32W**  
FC12T9 T9 CIRCULINE  
G10Q

FLC-22 (22W)  
FLC-32 (32W)  
FLC-40 (40W)



**Watts: 8W / 13W**  
FLUORESCENT  
T5 G13 BI-PIN BASE

Ballast: BLST08-T5  
JT5-8  
JT5-13



**Watts: 7W**  
C7 CFL  
E12 (CANDELABRA) BASE

FLB-07C (7W)




**Watts: 75W**  
MR16  
E17 BASE

JDR-75 (75W)



**Watts: 40W / 60W**  
B10.5  
E12 (CANDELABRA) BASE

ECC-15 (15W)



**Watts: 15W**  
C7  
E12 (CANDELABRA) BASE

ECC-15 (15W)



**Watts: 60W**  
BR30  
E26 (MEDIUM) BASE



**Watts: 40W / 60W**  
A15  
E26 (MEDIUM) BASE



**Watts: 40W / 60W / 75W / 100W**  
A19  
E26 (MEDIUM) BASE



**Watts: 150W**  
A21 (3-WAY)  
E26 (MEDIUM) BASE




**Watts: 25W / 40W / 60W**  
G16 1/2  
E12 (CANDELABRA) BASE



**Watts: 60W / 100W**  
G25  
E26 (MEDIUM) BASE



**Watts: 60W / 100W**  
G30  
E26 (MEDIUM) BASE



**Watts: 40W / 60W / 100W**  
G40  
E26 (MEDIUM) BASE